

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2014

Nature	Nature code ²	State govern- ment ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total	67,400	7,030	10.4	5,830	8.6	10,070	14.9	
Traumatic injuries and disorders	1	60,400	6,830	11.3	5,680	9.4	9,800	16.2
Traumatic injuries and disorders, unspecified	10	40	—	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord	11	4,360	230	5.3	340	7.8	390	8.9
Traumatic injuries to bones, nerves, spinal cord, unspecified	110	730	30	4.1	30	4.1	80	11.0
Fractures	111	3,520	200	5.7	310	8.8	300	8.5
Traumatic injuries to nerves, except the spinal cord ..	113	90	—	—	—	—	—	—
Pinched nerve	1131	90	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	12	25,280	2,410	9.5	2,010	8.0	3,730	14.8
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	120	220	—	—	150	68.2	—	—
Dislocations	121	410	30	7.3	—	—	50	12.2
Dislocations, unspecified	1210	20	—	—	—	—	—	—
Herniated discs	1211	130	—	—	—	—	—	—
Dislocation of joints	1212	260	20	7.7	—	—	40	15.4
Cartilage fractures and tears	122	160	—	—	—	—	20	12.5
Meniscus tears	1221	140	—	—	—	—	—	—
Sprains, strains, tears	123	24,080	2,310	9.6	1,830	7.6	3,610	15.0
Sprains, strains, tears, unspecified	1230	2,840	200	7.0	200	7.0	330	11.6
Major tears to muscles, tendons, ligaments	1231	750	20	2.7	—	—	50	6.7
Sprains	1232	7,390	550	7.4	640	8.7	1,310	17.7
Strains	1233	12,510	1,420	11.4	960	7.7	1,870	14.9
Multiple sprains, strains, tears	1238	600	130	21.7	20	3.3	50	8.3
Hernias due to traumatic incidents	124	250	—	—	—	—	—	—
Whiplash	125	80	—	—	—	—	40	50.0
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	128	20	—	—	—	—	—	—
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	129	50	—	—	—	—	—	—
Open wounds	13	2,530	440	17.4	360	14.2	460	18.2
Amputations, avulsions, enucleations	131	190	40	21.1	—	—	—	—
Amputations	1311	140	—	—	—	—	—	—
Avulsions, enucleations	1312	40	40	100.0	—	—	—	—
Cuts, lacerations	132	1,800	280	15.6	290	16.1	380	21.1
Puncture wounds, except gunshot wounds	133	470	120	25.5	60	12.8	70	14.9
Gunshot wounds	134	40	—	—	—	—	—	—
Surface wounds and bruises	14	6,780	1,100	16.2	860	12.7	1,650	24.3
Surface wounds and bruises, unspecified	140	130	—	—	—	—	20	15.4
Abrasions, scratches	141	570	150	26.3	70	12.3	220	38.6
Bruises, contusions	143	5,880	940	16.0	770	13.1	1,330	22.6
Multiple surface wounds and bruises	148	160	—	—	20	12.5	70	43.8
Surface wounds and bruises, n.e.c.	149	30	—	—	—	—	20	66.7
Burns and corrosions	15	370	60	16.2	110	29.7	40	10.8
Chemical burns and corrosions	151	110	20	18.2	60	54.5	20	18.2
Chemical burns and corrosions, unspecified	1510	100	20	20.0	60	60.0	20	20.0
Heat (thermal) burns	152	220	30	13.6	50	22.7	20	9.1
Heat (thermal) burns, unspecified	1520	160	20	12.5	30	18.8	—	—

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2014 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work	
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more			
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
Total	9,500	14.1	8,670	12.9	5,070	7.5	21,230	31.5	12	
Traumatic injuries and disorders	7,910	13.1	7,140	11.8	4,210	7.0	18,830	31.2	10	
Traumatic injuries and disorders, unspecified	—	—	—	—	—	—	20	50.0	37	
Traumatic injuries to bones, nerves, spinal cord	440	10.1	560	12.8	550	12.6	1,860	42.7	21	
Traumatic injuries to bones, nerves, spinal cord, unspecified	30	4.1	170	23.3	20	2.7	370	50.7	32	
Fractures	410	11.6	350	9.9	510	14.5	1,450	41.2	21	
Traumatic injuries to nerves, except the spinal cord ..	—	—	30	33.3	—	—	20	22.2	18	
Pinched nerve	—	—	30	33.3	—	—	20	22.2	18	
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	3,480	13.8	2,980	11.8	1,790	7.1	8,870	35.1	13	
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	—	—	—	—	20	9.1	40	18.2	2	
Dislocations	30	7.3	20	4.9	60	14.6	210	51.2	34	
Dislocations, unspecified	—	—	—	—	—	—	—	—	3	
Herniated discs	20	15.4	—	—	—	—	100	76.9	72	
Dislocation of joints	—	—	—	—	50	19.2	100	38.5	28	
Cartilage fractures and tears	—	—	—	—	30	18.8	100	62.5	58	
Meniscus tears	—	—	—	—	—	—	100	71.4	59	
Sprains, strains, tears	3,350	13.9	2,920	12.1	1,680	7.0	8,380	34.8	13	
Sprains, strains, tears, unspecified	300	10.6	440	15.5	360	12.7	1,010	35.6	20	
Major tears to muscles, tendons, ligaments	40	5.3	60	8.0	30	4.0	540	72.0	58	
Sprains	990	13.4	750	10.1	680	9.2	2,470	33.4	13	
Strains	1,960	15.7	1,620	12.9	600	4.8	4,080	32.6	11	
Multiple sprains, strains, tears	60	10.0	50	8.3	—	—	280	46.7	16	
Hernias due to traumatic incidents	70	28.0	30	12.0	—	—	130	52.0	33	
Whiplash	—	—	—	—	—	—	—	—	4	
Multiple traumatic injuries to muscles, tendons, ligaments, joints, etc.	—	—	—	—	—	—	—	—	9	
Traumatic injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	—	—	—	—	—	—	—	—	1	
Open wounds	430	17.0	490	19.4	100	4.0	240	9.5	6	
Amputations, avulsions, enucleations	100	52.6	—	—	20	10.5	20	10.5	7	
Amputations	90	64.3	—	—	20	14.3	20	14.3	7	
Avulsions, enucleations	—	—	—	—	—	—	—	—	1	
Cuts, lacerations	260	14.4	400	22.2	30	1.7	170	9.4	5	
Puncture wounds, except gunshot wounds	50	10.6	90	19.1	40	8.5	30	6.4	4	
Gunshot wounds	—	—	—	—	—	—	20	50.0	25	
Surface wounds and bruises	840	12.4	740	10.9	260	3.8	1,330	19.6	5	
Surface wounds and bruises, unspecified	—	—	50	38.5	—	—	50	38.5	18	
Abrasions, scratches	40	7.0	20	3.5	—	—	70	12.3	3	
Bruises, contusions	760	12.9	660	11.2	250	4.3	1,180	20.1	5	
Multiple surface wounds and bruises	30	18.8	—	—	—	—	30	18.8	4	
Surface wounds and bruises, n.e.c.	—	—	—	—	—	—	—	—	4	
Burns and corrosions	60	16.2	40	10.8	40	10.8	30	8.1	3	
Chemical burns and corrosions	—	—	—	—	—	—	—	—	2	
Chemical burns and corrosions, unspecified	—	—	—	—	—	—	—	—	2	
Heat (thermal) burns	50	22.7	—	—	30	13.6	30	13.6	7	
Heat (thermal) burns, unspecified	50	31.2	—	—	30	18.8	—	—	8	

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2014 — Continued

Nature	Nature code ²	State govern- ment ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
First degree heat (thermal) burns	1521	40	—	—	—	—	—	—
Other burns	159	40	—	—	—	—	—	—
Intracranial injuries	16	950	50	5.3	50	5.3	90	9.5
Intracranial injuries, unspecified	160	100	—	—	—	—	20	20.0
Concussions	162	840	40	4.8	40	4.8	70	8.3
Effects of environmental conditions	17	230	30	13.0	70	30.4	—	—
Effects of reduced temperature	171	20	—	—	—	—	—	—
Frostbite	1711	20	—	—	—	—	—	—
Effects of heat and light	172	210	30	14.3	70	33.3	—	—
Heat exhaustion, prostration	1725	180	30	16.7	—	—	—	—
Effects of heat and light, n.e.c.	1729	20	—	—	—	—	—	—
Multiple traumatic injuries and disorders	18	2,720	360	13.2	260	9.6	400	14.7
Multiple traumatic injuries and disorders, unspecified	180	120	—	—	—	—	20	16.7
Cuts and abrasions or bruises	181	530	90	17.0	30	5.7	60	11.3
Sprains and other injuries	182	1,270	160	12.6	110	8.7	220	17.3
Sprains and other injuries, unspecified	1820	40	—	—	—	—	—	—
Sprains and bruises	1821	990	130	13.1	70	7.1	180	18.2
Sprains and cuts	1822	80	—	—	—	—	—	—
Sprains and other injuries, n.e.c.	1829	160	—	—	30	18.8	20	12.5
Fractures and other injuries	183	230	30	13.0	40	17.4	20	8.7
Fractures (except skull fractures) and concussions	1831	30	—	—	—	—	—	—
Fractures and other injuries, n.e.c.	1839	170	30	17.6	30	17.6	—	—
Burns and other injuries, except fractures	184	40	—	—	—	—	—	—
Burns and other injuries, n.e.c.	1849	40	—	—	—	—	—	—
Multiple traumatic injuries and disorders, n.e.c.	189	530	70	13.2	80	15.1	60	11.3
Other traumatic injuries and disorders	19	17,120	2,150	12.6	1,620	9.5	3,030	17.7
Dermatitis and reactions affecting the skin—acute	195	390	30	7.7	40	10.3	150	38.5
Dermatitis and reactions affecting the skin—acute, unspecified	1950	140	—	—	—	—	—	—
Allergic dermatitis—acute	1951	190	—	—	30	15.8	140	73.7
Irritant dermatitis—acute	1952	50	—	—	—	—	—	—
Other poisoning, toxic, noxious, or allergenic effects	196	680	200	29.4	110	16.2	110	16.2
Poisoning, toxic, noxious, or allergenic effect, unspecified	1960	280	50	17.9	40	14.3	20	7.1
Poisoning, including poisoning-related asphyxia	1961	60	20	33.3	—	—	20	33.3
Other respiratory system symptoms—toxic, noxious, or allergenic effect	1963	110	20	18.2	30	27.3	30	27.3
Coughing and throat irritation—toxic, noxious, or allergenic effect	1964	20	—	—	—	—	—	—
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	1965	40	20	50.0	—	—	20	50.0
Other or unspecified allergic reactions	1966	130	90	69.2	—	—	20	15.4
Multiple poisoning, toxic, noxious, or allergenic effects	1968	30	—	—	—	—	—	—
Nonspecified injuries and disorders	197	15,940	1,910	12.0	1,460	9.2	2,730	17.1
Crushing injuries	1971	420	100	23.8	20	4.8	90	21.4
Soreness, pain, hurt—nonspecified injury	1972	13,740	1,570	11.4	1,290	9.4	2,350	17.1
Swelling, inflammation, irritation—nonspecified injury	1973	1,040	100	9.6	120	11.5	240	23.1
Numbness—nonspecified injury	1974	100	—	—	—	—	—	—

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2014 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work	
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more			
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
First degree heat (thermal) burns	—	—	—	—	—	—	—	—	13	
Other burns	—	—	30	75.0	—	—	—	—	17	
Intracranial injuries	210	22.1	50	5.3	80	8.4	420	44.2	28	
Intracranial injuries, unspecified	40	40.0	—	—	—	—	30	30.0	9	
Concussions	170	20.2	40	4.8	80	9.5	390	46.4	28	
Effects of environmental conditions	30	13.0	—	—	—	—	80	34.8	4	
Effects of reduced temperature	—	—	—	—	—	—	—	—	38	
Frostbite	—	—	—	—	—	—	—	—	38	
Effects of heat and light	30	14.3	—	—	—	—	70	33.3	3	
Heat exhaustion, prostration	20	11.1	—	—	—	—	60	33.3	6	
Effects of heat and light, n.e.c.	—	—	—	—	—	—	—	—	4	
Multiple traumatic injuries and disorders	290	10.7	300	11.0	200	7.4	920	33.8	11	
Multiple traumatic injuries and disorders, unspecified	—	—	—	—	—	—	80	66.7	68	
Cuts and abrasions or bruises	90	17.0	80	15.1	—	—	170	32.1	11	
Sprains and other injuries	120	9.4	130	10.2	120	9.4	420	33.1	12	
Sprains and other injuries, unspecified	—	—	—	—	—	—	—	—	21	
Sprains and bruises	90	9.1	120	12.1	100	10.1	290	29.3	12	
Sprains and cuts	—	—	—	—	—	—	40	50.0	14	
Sprains and other injuries, n.e.c.	—	—	—	—	—	—	70	43.8	22	
Fractures and other injuries	—	—	—	—	20	8.7	110	47.8	26	
Fractures (except skull fractures) and concussions	—	—	—	—	—	—	—	—	18	
Fractures and other injuries, n.e.c.	—	—	—	—	—	—	80	47.1	26	
Burns and other injuries, except fractures	—	—	—	—	—	—	—	—	5	
Burns and other injuries, n.e.c.	—	—	—	—	—	—	—	—	5	
Multiple traumatic injuries and disorders, n.e.c.	60	11.3	70	13.2	50	9.4	140	26.4	8	
Other traumatic injuries and disorders	2,120	12.4	1,970	11.5	1,190	7.0	5,050	29.5	10	
Dermatitis and reactions affecting the skin—acute	—	—	40	10.3	—	—	120	30.8	3	
Dermatitis and reactions affecting the skin—acute, unspecified	—	—	—	—	—	—	120	85.7	92	
Allergic dermatitis—acute	—	—	—	—	—	—	—	—	3	
Irritant dermatitis—acute	—	—	40	80.0	—	—	—	—	11	
Other poisoning, toxic, noxious, or allergenic effects	70	10.3	60	8.8	80	11.8	50	7.4	3	
Poisoning, toxic, noxious, or allergenic effect, unspecified	30	10.7	50	17.9	70	25.0	30	10.7	13	
Poisoning, including poisoning-related asphyxia	—	—	—	—	—	—	—	—	3	
Other respiratory system symptoms—toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—	3	
Coughing and throat irritation— toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—	2	
Dizziness, lightheadedness, headache—toxic, noxious, or allergenic effect	—	—	—	—	—	—	—	—	1	
Other or unspecified allergic reactions	—	—	—	—	—	—	—	—	1	
Multiple poisoning, toxic, noxious, or allergenic effects	—	—	—	—	—	—	—	—	8	
Nonspecified injuries and disorders	2,030	12.7	1,860	11.7	1,080	6.8	4,860	30.5	10	
Crushing injuries	30	7.1	80	19.0	—	—	90	21.4	8	
Soreness, pain, hurt—nonspecified injury	1,810	13.2	1,510	11.0	950	6.9	4,260	31.0	10	
Swelling, inflammation, irritation—nonspecified injury	100	9.6	170	16.3	90	8.7	240	23.1	9	
Numbness—nonspecified injury	20	20.0	20	20.0	—	—	60	60.0	43	

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2014 — Continued

Nature	Nature code ²	State govern- ment ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Multiple nonspecified injuries and disorders	1978	350	110	31.4	—	—	30	8.6
Nonspecified injuries and disorders, n.e.c.	1979	290	30	10.3	30	10.3	30	10.3
Other traumatic injuries and disorders, n.e.c.	199	100	—	—	—	—	40	40.0
Traumatic injuries and disorders, n.e.c.	1999	100	—	—	—	—	40	40.0
Diseases and disorders of body systems	2	1,220	90	7.4	80	6.6	80	6.6
Nervous system and sense organs diseases	22	440	70	15.9	—	—	—	—
Disorders of the peripheral nervous system	224	320	—	—	—	—	—	—
Disorders of the peripheral nervous system, unspecified	2240	60	—	—	—	—	—	—
Carpal tunnel syndrome	2241	260	—	—	—	—	—	—
Disorders of the eye, adnexa, vision	225	90	70	77.8	—	—	—	—
Conjunctivitis—non-viral	2251	70	—	—	—	—	—	—
Disorders of the ear, mastoid process, hearing	226	30	—	—	—	—	—	—
Circulatory system diseases	23	150	—	—	—	—	—	—
Ischemic heart disease, including heart attack	233	60	—	—	—	—	—	—
Myocardial infarction (heart attack)	2331	40	—	—	—	—	—	—
Other forms of heart disease	235	30	—	—	—	—	—	—
Cerebrovascular disease	236	40	—	—	—	—	—	—
Stroke	2361	40	—	—	—	—	—	—
Respiratory system diseases	24	90	—	—	30	33.3	—	—
Other diseases of upper respiratory tract	242	30	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	244	30	—	—	—	—	—	—
Asthma, except intrinsic	2443	30	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders	27	490	—	—	20	4.1	60	12.2
Dorsopathies	272	20	—	—	—	—	—	—
Soft tissue disorders, except the back	273	460	—	—	—	—	60	13.0
Stenosing tenosynovitis	2732	110	—	—	—	—	—	—
Epicondylitis	2734	130	—	—	—	—	—	—
Other or unspecified tendonitis (tendinitis)	2735	140	—	—	—	—	30	21.4
Soft tissue disorder, except the back, n.e.c.	2739	50	—	—	—	—	—	—
Disorders of the skin and subcutaneous tissue	28	40	—	—	—	—	—	—
Infections of the skin and subcutaneous tissue	281	40	—	—	—	—	—	—
Methicillin-resistant staphylococcus aureus (MRSA) infection	2813	20	—	—	—	—	—	—
Infectious and parasitic diseases	3	60	—	—	—	—	—	—
Other infectious and parasitic diseases	39	20	—	—	—	—	—	—
Symptoms, signs, and ill-defined conditions	5	370	60	16.2	40	10.8	80	21.6
Symptoms	51	340	50	14.7	30	8.8	80	23.5
General symptoms	511	230	40	17.4	—	—	50	21.7
Loss of consciousness—not heat related	5111	110	—	—	—	—	30	27.3
Convulsions, seizures	5112	20	—	—	—	—	—	—
Dizziness—general	5114	50	—	—	—	—	—	—
Multiple general symptoms	5118	30	—	—	—	—	—	—
Symptoms involving respiratory system and chest	516	60	—	—	—	—	—	—

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2014 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work	
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more			
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
Multiple nonspecified injuries and disorders	40	11.4	40	11.4	20	5.7	100	28.6	9	
Nonspecified injuries and disorders, n.e.c.	30	10.3	40	13.8	—	—	110	37.9	13	
Other traumatic injuries and disorders, n.e.c.	—	—	—	—	20	20.0	20	20.0	5	
Traumatic injuries and disorders, n.e.c.	—	—	—	—	20	20.0	20	20.0	5	
Diseases and disorders of body systems	130	10.7	130	10.7	110	9.0	600	49.2	29	
Nervous system and sense organs diseases	20	4.5	70	15.9	20	4.5	240	54.5	42	
Disorders of the peripheral nervous system	20	6.2	70	21.9	20	6.2	200	62.5	45	
Disorders of the peripheral nervous system, unspecified	—	—	—	—	—	—	60	100.0	135	
Carpal tunnel syndrome	20	7.7	70	26.9	20	7.7	140	53.8	42	
Disorders of the eye, adnexa, vision	—	—	—	—	—	—	—	—	1	
Conjunctivitis—non-viral	—	—	—	—	—	—	—	—	1	
Disorders of the ear, mastoid process, hearing	—	—	—	—	—	—	—	—	70	
Circulatory system diseases	—	—	—	—	—	—	120	80.0	59	
Ischemic heart disease, including heart attack	—	—	—	—	—	—	50	83.3	59	
Myocardial infarction (heart attack)	—	—	—	—	—	—	40	100.0	53	
Other forms of heart disease	—	—	—	—	—	—	30	100.0	52	
Cerebrovascular disease	—	—	—	—	—	—	40	100.0	65	
Stroke	—	—	—	—	—	—	40	100.0	65	
Respiratory system diseases	—	—	40	44.4	—	—	—	—	13	
Other diseases of upper respiratory tract	—	—	—	—	—	—	—	—	18	
Chronic obstructive pulmonary disease and allied conditions	—	—	—	—	—	—	—	—	2	
Asthma, except intrinsic	—	—	—	—	—	—	—	—	2	
Musculoskeletal system and connective tissue diseases and disorders	110	22.4	—	—	60	12.2	220	44.9	28	
Dorsopathies	—	—	—	—	—	—	—	—	2	
Soft tissue disorders, except the back	110	23.9	—	—	50	10.9	210	45.7	28	
Stenosing tenosynovitis	100	90.9	—	—	—	—	—	—	10	
Epicondylitis	—	—	—	—	—	—	110	84.6	37	
Other or unspecified tendonitis (tendinitis)	—	—	—	—	30	21.4	60	42.9	28	
Soft tissue disorder, except the back, n.e.c.	—	—	—	—	—	—	30	60.0	96	
Disorders of the skin and subcutaneous tissue	—	—	—	—	20	50.0	20	50.0	23	
Infections of the skin and subcutaneous tissue	—	—	—	—	20	50.0	20	50.0	23	
Methicillin-resistant staphylococcus aureus (MRSA) infection	—	—	—	—	—	—	—	—	23	
Infectious and parasitic diseases	—	—	—	—	—	—	20	33.3	4	
Other infectious and parasitic diseases	—	—	—	—	—	—	—	—	1	
Symptoms, signs, and ill-defined conditions	40	10.8	40	10.8	—	—	90	24.3	6	
Symptoms	40	11.8	40	11.8	—	—	90	26.5	6	
General symptoms	30	13.0	30	13.0	—	—	60	26.1	6	
Loss of consciousness—not heat related	—	—	—	—	—	—	50	45.5	19	
Convulsions, seizures	—	—	—	—	—	—	—	—	14	
Dizziness—general	—	—	—	—	—	—	—	—	6	
Multiple general symptoms	—	—	—	—	—	—	—	—	1	
Symptoms involving respiratory system and chest	—	—	—	—	—	—	20	33.3	3	

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Symptoms involving respiratory system and chest, unspecified	5160	20	—	—	—	—	—	—
Chest pain	5164	20	—	—	—	—	—	—
Multiple symptoms	518	20	—	—	—	—	—	—
Other diseases, conditions, and disorders	6	520	20	3.8	—	—	30	5.8
Mental disorders and syndromes	62	510	20	3.9	—	—	30	5.9
Anxiety, stress	621	510	20	3.9	—	—	30	5.9
Anxiety, stress, unspecified	6210	340	—	—	—	—	30	8.8
Post-traumatic stress disorder	6211	90	—	—	—	—	—	—
Anxiety or panic disorder	6213	40	—	—	—	—	—	—
Anxiety, stress, n.e.c.	6219	40	—	—	—	—	—	—
Exposures to disease—no illness incurred	7	80	—	—	20	25.0	—	—

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2014 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work	
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more			
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
Symptoms involving respiratory system and chest, unspecified	—	—	—	—	—	—	—	—	3	
Chest pain	—	—	—	—	—	—	—	—	7	
Multiple symptoms	—	—	—	—	—	—	20	100.0	180	
Other diseases, conditions, and disorders	60	11.5	30	5.8	20	3.8	340	65.4	39	
Mental disorders and syndromes	60	11.8	30	5.9	20	3.9	340	66.7	39	
Anxiety, stress	60	11.8	30	5.9	20	3.9	340	66.7	39	
Anxiety, stress, unspecified	50	14.7	30	8.8	—	—	200	58.8	37	
Post-traumatic stress disorder	—	—	—	—	—	—	80	88.9	34	
Anxiety or panic disorder	—	—	—	—	—	—	30	75.0	145	
Anxiety, stress, n.e.c.	—	—	—	—	—	—	30	75.0	180	
Exposures to disease—no illness incurred	—	—	—	—	40	50.0	—	—	22	

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2014 — Continued

Nature	Nature code ²	State government ³	Days-away-from-work cases involving:					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Nonclassifiable	9999	4,730	—	—	—	—	60	1.3

See footnotes at end of table.

TABLE S67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, and median number of days away from work, state government, 2014 — Continued

Nature	Days-away-from-work cases involving:								Median days away from work	
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more			
	Number	Percent	Number	Percent	Number	Percent	Number	Percent		
Nonclassifiable	1,340	28.3	1,320	27.9	660	14.0	1,340	28.3	13	

1 Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

2 Based on the Occupational Injury and Illness Classification System 2.01 developed by the Bureau of Labor Statistics.

3 Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.
 Source: U.S. Bureau of Labor Statistics, Survey of Occupational Injuries and Illnesses, in cooperation with participating state agencies.